	Annihardina Na	A(!/-)
	Application No.	Applicant(s)
Notice of Allowability	09/801,038	TRETTER, DANIEL R.
	Examiner	Art Unit
	Stephen M. Brinich	2624
The MAILING DATE of this communication appear All claims being allowable, PROSECUTION ON THE MERITS IS (herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGOT OF THE OFFICE OFFICE OF THE OFFICE OF THE OFFICE	(OR REMAINS) CLOSED in this app or other appropriate communication GHTS. This application is subject to	olication. If not included will be mailed in due course. THIS
1. This communication is responsive to <u>Amdt filed 3/14/05</u> .		
2. The allowed claim(s) is/are <u>1-20</u> .		
 3. ☐ Acknowledgment is made of a claim for foreign priority und a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have 2. ☐ Certified copies of the priority documents have 	been received.	
 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this national stage application from the 		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. ☐ Notice of Informal Pa	atent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary	
3. Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No./Mail Date	Paper No./Mail Date B), 7. Examiner's Amendm	e nent/Comment
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. ⊠ Examiner's Statemen	nt of Reasons for Allowance
		•

Application/Control Number: 09/801,038

Art Unit: 2624

DETAILED ACTION

Page 2

Response to Arguments

1. Applicant's arguments, see Response filed 3/15/05 (page 2, line 14 - page 3, line 20), with respect to claim 1 (and dependent claims 6-8, 10, & 12) have been fully considered and are persuasive. The rejection of claims 1, 6-8, 10, & 12 under 35 USC §102 and the objection to claims 2-5, 9, 11, & 13 have been withdrawn.

Conclusion

2. Any inquiry concerning the contents of this communication or earlier communications from the examiner should be directed to Stephen M. Brinich at 571-272-7430.

Any inquiry relating to the status of this application or proceeding or any inquiry of a general nature concerning application processing should be directed to the Tech Center 2600 Customer Service center at 571-272-2600 or to the USPTO Contact Center at 800-786-9199 or 703-308-4357.

The examiner can normally be reached on weekdays 7:00-4:30, alternate Fridays off.

If attempts to contact the examiner and the Customer Service Center are unsuccessful, supervisor David Moore can be contacted at 571-272-7437.

Application/Control Number: 09/801,038

Art Unit: 2624

Faxes pertaining to this application should be directed to the Tech Center 2600 official fax number, which is 571-273-8300 (as of July 15, 2005).

Hand-carried correspondence may be delivered to the Customer Service Window, located at the Randolph Building, 401 Dulany Street, Alexandria, VA 22314.

Stephen M Brinich Examiner

Page 3

Art Unit 2624

smb Smp December 1, 2005

Homas D.